



SYSTEM COMPACT

Twin track sliding doors with bottom carriage system

50
kg

16 mm
board

18 mm
board





CHARACTERISTICS

Application	Sliding doors
Track	Twin
Carriage system	Bottom
Top guide	Ball bearing carriage
Bottom guide	Ball bearing carriage (load bearing)
Construction	Board
Filling	16 mm, 18 mm
Type of filling	Board 16 or 18 mm
Max. door load	50 kg
Max. handle length	n/a
Max. track length	6000 mm
Textile door stops	n/a
Anti-dust brushes	n/a
Sales programme	Components can be purchased separately
Decorative profile programme	n/a


USAGE

Cabinet furniture, standing wardrobes




1 Top track **COMPACT**


CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER
04395	SILVER	1700	12	item
04396	SILVER	2350	12	item
04578	SILVER	3000	12	item
04579	SILVER	6000	12	item

**2** Bottom track **COMPACT II**


CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER
04859	SILVER	1700	12	item
04860	SILVER	2350	12	item
04861	SILVER	3000	12	item
04862	SILVER	6000	12	item

**DECOR****3** Covering strip for bottom track **ELEGANT II**


CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER
04302	SILVER	1700	48	item
04303	SILVER	2350	48	item
04304	SILVER	3000	48	item
04307	SILVER	6000	48	item

**4** Top track masking profile **COMPACT**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER
04397	SILVER	1700	24	item
04398	SILVER	2350	24	item
04580	SILVER	3000	24	item
04581	SILVER	6000	24	item


**5** Bottom track masking profile **COMPACT**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER
04582	SILVER	1700	24	item
04583	SILVER	2350	24	item
04584	SILVER	3000	24	item
04585	SILVER	6000	24	item




Soft-close **COMPACT**

*Set includes 2 soft-closers
and allen key 2 mm*



CODE	COLLECTIVE PACKAGING	PRICED PER
20347	50	set

6


Set **COMPACT**

SET CODE: 10215

COMPONENTS	FOR 1 WING	COLLECTIVE PACKAGING
Top carriage COMPACT	2 pcs	20 sets
Bottom carriage COMPACT	2 pcs	
Screw $\varnothing 4 \times 14$	16 pcs	




System Compact




COMPONENTS

Top track Compact L: 1.70 m, 2.35 m, 3.00 m, 6.00 m 	Bottom track Compact II L: 1.70 m, 2.35 m, 3.00 m, 6.00 m 	Finishing profile for bottom track Elegant II L: 1.70 m, 2.35 m, 3.00 m, 6.00 m 	Top track masking profile Compact L: 1.70 m, 2.35 m, 3.00 m, 6.00 m 	Bottom track masking profile Compact L: 1.70 m, 2.35 m, 3.00 m, 6.00 m 	Set Compact (1 door) Top guide x2 Bottom carriage x2 Ø4x14 x 16 	Soft-close Compact x2 Allen key 2 mm x1
---	---	---	---	--	---	--

1. Door installation



Dimensions of opening



number of doors	- N	2	3
total overlap	- Z	30	60

Warning! When using masking profiles carcass sides should protrude a min. of 3 mm

